Halowell® HEALTH CARE ANTIMICROBIAL

DITION OF QUAL SINCE 1903



WWW.HALLOWELL-LIST.COM





SPECIALLY FORMULATED ANTIMICROBIAL FINISH





Width

12

12

15

15

18

18

12

12 15

15

Depth

18

18

18

18

18

18

18

18

18

18

DOUBLE TIER

SINGLE TIER

Specially formulated MedSafe Antimicrobial powder coating finish protects against bacteria, microbes & mildew for up to 20 years! It is ideal for a variety of settings such as healthcare facilities, athletic facilities, schools, day care centers, senior care communities, residential housing, hospitality settings and cruise ships.

ANTIMICROBIAL PROTECTION FOR OVER 20 YEARS!

FEATURES:

Frame

Height

3-wide

1-wide

3-wide

1-wide

3-wide

1-wide

3-wide

1-wide

3-wide

3

1

3

1

3

2

6

2

6

78

78

78

78

78

78

78

78

78

78

1

2

2

2

2

Opening

Height

72

72

72

72

72

72

36

36

36

36

BODY CONSTRUCTION: Knock-down, 24 gauge BODY STYLES: Single and double tier CUSTOM FEATURES: Antimicrobial finish DOOR: 16 gauge, louvered for added ventilation, HINGES: Continuous piano type

HANDLE: Stainless steel recessed handle with multi-point gravity lift-type latching. Recessed handle protects finish from being marred by padlock.

HOOKS: One double prong ceiling hook and two single hooks per single and double tier opening.

COAT RODS: Available for single tier at a nominal cost **SHELVES:** Hat shelf is included in single tier lockers.

LEGS: All stock lockers are standard with 6" high legs. Lockers without legs are available for a nominal charge.

PIANO HINGE



UMS3288-1

UMS1588-1

UMS3588-1

UMS1888-1

UMS3888-1

UMS1288-2

UMS3288-2

UMS1588-2

UMS3588-2





YEAR

PL-AM

PL-AM

PL-AM

PL-AM

PL-AM

PL-AM

PL-AM

PL-AM

PL-AM

UMS3288-1A

UMS1588-1A

UMS3588-1A

UMS1888-1A

UMS3888-1A

UMS1288-2A

UMS3288-2A

UMS1588-2A

UMS3588-2A

2



MedSafe AquaMax lockers are manufactured with high density polyethylene (HDPE) that contains a specially formulated ANTIMICROBIAL agent that permanently resists the growth of bacteria, mold, yeast and mildew.

This special feature combined with all the great features of our AquaMax lockers make these lockers ideal for use in medical, educational, retail and manufacturing environments.

ADVANTAGES:

- Permanent antimicrobial protection kills microbes (yeast, bacteria, mold, mildew)
- Scratch Resistant
- Corrosion Resistant
- Impact and dent resistant
- Easy to clean
- Mildew and odor resistant
- Graffiti resistant

(pencil, pen, paint and most common markers)

• Chemical Resistant

White lockers with Taupe handles

> WHITE TAUPE

HANDLES

FEATURES:

BODY CONSTRUCTION: Corrosion Proof High Density Polyethylene (HDPE), with 3/8" thick body panels

ANTIMICROBIAL & CORROSION RESISTANT PLASTIC LOCKERS

BODY STYLES: Single, double, and z-tier

HINGES: heavy-duty continuous full height extruded aluminum with a powder-coat finish to match color of door

HANDLE: Projecting solid plastic handle with lift-type latching

SHELVES: Hat shelf is included in single tier lockers

HOOKS: 2 single-prong hooks in single and double tier lockers



Width		Opening Height	Overall Height	Tier	Frame Grouping	Openings Per Group	Cat No.		
SINGLE TIER									
12	18	72	72	1	1-wide	1	MSPL1282-1A-WE		
DOUBLE TIER									
12	18	36	72	2	1-wide	2	MSPL1282-2A-WE		
Z-STYLE									
12	18	48	72	Z	1-wide	2	MSPL1282-ZA-WE		



800 SERIES MEDSAFE



MEDSAFE ANTIMICROBIAL KD CABINETS

FEATURES:

- All components precision engineered with no bolt heads showing on front and side panels.
- 20 gauge body and 22 gauge shelves provide strength and durability.
- Shelves easily adjust up or down in 2" increments. Triple flanged shelf front for added strength (capacity up to 250 lbs).
- Reinforced doors swing a full 180°.
- Doors are factory-hung in 16 gauge frames ensuring proper performance.



INDUSTRIAL STRENGUI EDANOTE

- 16 gauge continuous hinges.
- Corner foot gussets provide added rigidity and stability (replaced by mounting plates on mobile units).
- Positive three-point locking (top, center and bottom) for secure locking.
- Plated locking handle has built-in cylinder key lock (keys included).



CONFIGURATIONS:

- Storage (includes 4 adjustable shelves)
- Wardrobe (includes 1 shelf and coat rod)
- Combination (includes 1 full width shelf, 3 half width shelves and a half width coat rod)



4

Antimicrobial 800 Series KD Cabinets have the benefit of a specially formulated Hallowell MedSafe Antimicrobial powder coating finish that provides protection from bacteria and microbes for up to 20 years!

By killing these harmful bacteria on painted surfaces, it will help prevent the spread of disease-causing bacteria on high-traffic/high-touch painted surfaces.



STATIONARY WARDROBE





SPECIALLY FORMULATED ANTIMICROBIAL FINISH

Description	Width	Depth	Height	Knock-Down Cat No.	Assembled Cat No.	+Medsafe Antimicrobal	
SOLID DOOR CABINETS, 800 SERIES							
Stationary, Storage	36	18	78	815S18	815S18A	PL-AM	
Stationary, Storage	36	24	78	815S24	815S24A	PL-AM	
Stationary, Storage	48	18	78	825S18	825S18A	PL-AM	
Stationary, Storage	48	24	78	825S24	825S24A	PL-AM	
Stationary, Wardrobe	36	18	78	835W18	835W18A	PL-AM	
Stationary, Wardrobe	36	24	78	835W24	835W24A	PL-AM	
Stationary, Wardrobe	48	18	78	845W18	845W18A	PL-AM	
Stationary, Wardrobe	48	24	78	845W24	845W24A	PL-AM	
Stationary, Combination	36	18	78	855C18	855C18A	PL-AM	
Stationary, Combination		24	78	855C24	855C24A	PL-AM	
Stationary, Combination		18	78	865C18	865C18A	PL-AM	
Stationary, Combination		24	78	865C24	865C24A	PL-AM	

+ MED SAFE







Hi-Tech shelving has the strength needed to handle most industrial applications and versatility for today's modern facilities. Every shelving unit is designed and engineered to meet the highest standards.

Antimicrobial agents in our powder coating inhibit the growth of microorganisms such as mildew and mold that can stain and deteriorate a coating over time. Antimicrobial agents also inhibit bacterial odor growth.



8 SHELF OPEN STARTER UNIT



HI-TECH MEDSAFE STEEL SHELVING



8 SHELF CLOSED STARTER UNIT



BEADED FRONT POSTS • Beaded for strength

- Flush to permit straight-in/straight-out shelf installation, shelf changing and full use of shelf width
- Punched on 1-1/2" centers to allow independent shelf adjustment

ONE PIECE SHELF CLIP

- Four sturdy and compact clips per shelf
- Keys firmly into post slots to hold shelves securely in place
- Fits Beaded Front, Angle Back Posts and T-Posts
 Non-Intrusive clip sits flush with inside edge
- Non-Intrusive clip sits flush with inside edge of front posts







- Tubular welded box beam front and rear for maximum strength
- Exclusive triple bend side flanges for added strength
- Lapped and welded corners
- Top of shelf is punched to accept shelf dividers

ANGLE BACK POSTS

- Roll formed into a unique angle shape for maximum strength
- The long leg is punched on 1-1/2" centers to allow independent shelf adjustment
- Angle Posts can be used in place of Beaded Front Posts if desired





SPECIALLY FORMULATED ANTIMICROBIAL FINISH

OPEN UNITS

w	D	н		8-Shelf Unit Cat. No.	11-Shelf Unit Cat. No.	Shelf Capacity*
36	12	87	Starter	4513-12PL-AM	451C-12PL-AM	500
36	12	87	Adder	A4513-12PL-AM	A451C-12PL-AM	500
36	18	87	Starter	4513-18PL-AM	451C-18PL-AM	500
36	18	87	Adder	A4513-18PL-AM	A451C-18PL-AM	500
36	24	87	Starter	4513-24PL-AM	451C-24PL-AM	500
36	24	87	Adder	A4513-24PL-AM	A451C-24PL-AM	500
48	12	87	Starter	4713-12PL-AM	471C-12PL-AM	375
48	12	87	Adder	A4713-12PL-AM	A471C-12PL-AM	375
48	18	87	Starter	4713-18PL-AM	471C-18PL-AM	375
48	18	87	Adder	A4713-18PL-AM	A471C-18PL-AM	375
48	24	87	Starter	4713-24PL-AM	471C-24PL-AM	350
48	24	87	Adder	A4713-24PL-AM	A471C-24PL-AM	350

* Shelf capacity based on a uniformly distributed load and a safety factor of 1.65

Open Units:

Starter units include two beaded front posts, two angle back posts, one pair back sway braces, two pair side sway braces and 8-11 shelves. Adder units include one beaded front post, two angle back posts, one pair back sway braces, one pair side sway braces and 8-11 shelves.

CLOSED UNITS

w	D	н		8-Shelf Unit Cat. No.	11-Shelf Unit Cat. No.	Shelf Capacity*
36	12	87	Starter	4523-12PL-AM	452C-12PL-AM	500
36	12	87	Adder	A4523-12PL-AM	A452C-12PL-AM	500
36	18	87	Starter	4523-18PL-AM	452C-18PL-AM	500
36	18	87	Adder	A4523-18PL-AM	A452C-18PL-AM	500
36	24	87	Starter	4523-24PL-AM	452C-24PL-AM	500
36	24	87	Adder	A4523-24PL-AM	A452C-24PL-AM	500
48	12	87	Starter	4723-12PL-AM	472C-12PL-AM	375
48	12	87	Adder	A4723-12PL-AM	A472C-12PL-AM	375
48	18	87	Starter	4723-18PL-AM	472C-18PL-AM	375
48	18	87	Adder	A4723-18PL-AM	A472C-18PL-AM	375
48	24	87	Starter	4723-24PL-AM	472C-24PL-AM	350
48	24	87	Adder	A4723-24PL-AM	A472C-24PL-AM	350

* Shelf capacity based on a uniformly distributed load and a safety factor of 1.65 **Closed Units:**

Starter units include two beaded front posts, two angle back posts, one back panel assembly, two side panel assemblies and 8-11 shelves. Adder units include one beaded front post, two angle back posts, one back panel assembly, one side panel assembly and 8-11 shelves.





11 SHELF OPEN STARTER UNIT





8 SHELF **CLOSED ADDER UNIT**

CLOSED STARTER UNIT







We Stock It You Sell It We Ship It... Fast! It Really Is That Easy



2823 W. ORANGE AVE, APOPKA, FLORIDA 32703 866.566.0500 WWW.HALLOWELL-LIST.COM

©Copyright 2020 Hallowell