



HALLOWELL "DIGITECH" K.D. SINGLE TIER LOCKER (PRODUCT No. UEL1258-1) (1-WIDE)



SIDE VIEW




FRONT VIEW

HALLOWELL DIGITECH "KD" LOCKER SPECIFICATION			
COMPONENT	GAUGE	MATERIAL	REMARKS
DOORS	16	COLD ROLLED STEEL	3" LOUVERS
FRAMES	16	COLD ROLLED STEEL	SOLID
TOPS	24	COLD ROLLED STEEL	SOLID
BOTTOMS	24	COLD ROLLED STEEL	SOLID
SHELVES	24	COLD ROLLED STEEL	SOLID
SIDES	24	COLD ROLLED STEEL	SOLID
BACKS	24	COLD ROLLED STEEL	SOLID
HANDLE		STAINLESS STEEL	DIGITAL LOCK W/ROTATING DOOR PULL
HINGES	16	COLD ROLLED STEEL	CONTINUOUS PIANO TYPE
BODY COMPONENT COLOR			729 TAN


LATCHING: (BOX DOOR) SINGLE POINT FRICTION CATCH WITH DOOR PULL. DOOR WILL ACCEPT BUILT-IN LOCK OR PADLOCK.

* WITH NEW HALLOWELL H1 DIGITAL LOCK

**FOR SUBMITTAL
USE ONLY**
SUBJECT TO APPROVAL



STARTER / ADD-ON LAYOUT
SCALE: NONE



HOOK CONFIGURATION




THIS DRAWING AND THE INFORMATION ON IT IS THE CONFIDENTIAL PROPERTY OF HALLOWELL, INC. AND SHALL NOT BE COPIED OR DISCLOSED TO OTHERS WITHOUT WRITTEN PERMISSION. ONLY HALLOWELL, INC. RESERVES THE RIGHT TO ALTER ANY DESIGN. ANY UNAUTHORIZED MODIFICATIONS RELEASES HALLOWELL, INC. FROM ALL LIABILITIES.
TOLERANCES UNLESS SPECIFIED:
FRACTIONS: ±1/32 DECIMALS: ±.010 DEGREES: ±1°


Customer: CUSTOMER
Customer Order Number: PO#
Description: JOB_NAME LOCATION

Drawn By: DRAFTER
Checked By:
Date: 07.18.2012
Scale: NONE
Acad Number: UEL1258-1
Drawing Number: FOLDER_NUMBER
Sheet OF Revision:

HALLOWELL "DIGITECH" K.D. DOUBLE TIER LOCKER (PRODUCT No. UEL1258-2) (1-WIDE)



SIDE VIEW



FRONT VIEW


HALLOWELL DIGITECH "KD" LOCKER SPECIFICATION

COMPONENT	GAUGE	MATERIAL	REMARKS
DOORS	16	COLD ROLLED STEEL	3" LOUVERS
FRAMES	16	COLD ROLLED STEEL	SOLID
TOPS	24	COLD ROLLED STEEL	SOLID
BOTTOMS	24	COLD ROLLED STEEL	SOLID
SHELVES	24	COLD ROLLED STEEL	SOLID
SIDES	24	COLD ROLLED STEEL	SOLID
BACKS	24	COLD ROLLED STEEL	SOLID
HANDLE		STAINLESS STEEL	DIGITAL LOCK W/ROTATING DOOR PULL
HINGES	16	COLD ROLLED STEEL	CONTINUOUS PIANO TYPE
BODY COMPONENT COLOR			729 TAN

LATCHING: (BOX DOOR) SINGLE POINT FRICTION
CATCH WITH DOOR PULL. DOOR WILL
ACCEPT BUILT-IN LOCK OR PADLOCK.

* WITH NEW HALLOWELL H1 DIGITAL LOCK


**FOR SUBMITTAL
USE ONLY**
SUBJECT TO APPROVAL



STARTER / ADD-ON LAYOUT

SCALE: NONE

LOCKERS 12" OR WIDER
WITH 30" OR HIGHER
OPENING HEIGHT



(2) SINGLE CEILING HOOKS
(1) DOUBLE CEILING HOOK

HOOK CONFIGURATION



THIS DRAWING AND THE INFORMATION ON IT IS THE CONFIDENTIAL PROPERTY OF HALLOWELL, INC. AND SHALL NOT BE COPIED OR DISCLOSED TO OTHERS WITHOUT WRITTEN PERMISSION. ONLY HALLOWELL, INC. RESERVES THE RIGHT TO ALTER ANY DESIGN. ANY UNAUTHORIZED MODIFICATIONS RELEASES HALLOWELL, INC. FROM ALL LIABILITIES.

TOLERANCES UNLESS SPECIFIED:
FRACTIONS: ±1/32 DECIMALS: ±.010 DEGREES: ±1°

Customer: CUSTOMER

Customer Order Number: PO#

Description: JOB_NAME
LOCATION

Drawn By: DRAFTER

Acad Number: UEL1258-2

Drawing Number:

Checked By:


Date: 07.18.2012

Sheet OF Revision:


Scale: NONE

FOLDER_NUMBER

HALLOWELL "DIGITECH" K.D. TRIPLE TIER LOCKER (PRODUCT No. UEL1258-3) (1-WIDE)



SIDE VIEW




FRONT VIEW

HALLOWELL DIGITECH "KD" LOCKER SPECIFICATION			
COMPONENT	GAUGE	MATERIAL	REMARKS
DOORS	16	COLD ROLLED STEEL	3" LOUVERS
FRAMES	16	COLD ROLLED STEEL	SOLID
TOPS	24	COLD ROLLED STEEL	SOLID
BOTTOMS	24	COLD ROLLED STEEL	SOLID
SHELVES	24	COLD ROLLED STEEL	SOLID
SIDES	24	COLD ROLLED STEEL	SOLID
BACKS	24	COLD ROLLED STEEL	SOLID
HANDLE		STAINLESS STEEL	DIGITAL LOCK W/ROTATING DOOR PULL
HINGES	16	COLD ROLLED STEEL	CONTINUOUS PIANO TYPE
BODY COMPONENT COLOR			729 TAN


LATCHING: (BOX DOOR) SINGLE POINT FRICTION CATCH WITH DOOR PULL. DOOR WILL ACCEPT BUILT-IN LOCK OR PADLOCK.

* WITH NEW HALLOWELL H1 DIGITAL LOCK

**FOR SUBMITTAL
USE ONLY**
SUBJECT TO APPROVAL



STARTER / ADD-ON LAYOUT
SCALE: NONE



HOOK CONFIGURATION




THIS DRAWING AND THE INFORMATION ON IT IS THE CONFIDENTIAL PROPERTY OF HALLOWELL, INC. AND SHALL NOT BE COPIED OR DISCLOSED TO OTHERS WITHOUT WRITTEN PERMISSION. ONLY HALLOWELL, INC. RESERVES THE RIGHT TO ALTER ANY DESIGN. ANY UNAUTHORIZED MODIFICATIONS RELEASES HALLOWELL, INC. FROM ALL LIABILITIES.

TOLERANCES UNLESS SPECIFIED:
FRACTIONS: ±1/32 DECIMALS: ±.010 DEGREES: ±1°


Customer: CUSTOMER
Customer Order Number: PO#
Description: JOB_NAME
LOCATION

Drawn By: DRAFTER
Checked By:
Date: 07.18.2012
Scale: NONE
Acad Number: UEL1258-3
Drawing Number: FOLDER_NUMBER
Sheet OF
Revision:

HALLOWELL "DIGITECH" K.D. SIX TIER BOX LOCKER (PRODUCT No. UEL1258-6) (1-WIDE)



SIDE VIEW




FRONT VIEW

HALLOWELL DIGITECH "KD" BOX LOCKER SPECIFICATION			
COMPONENT	GAUGE	MATERIAL	REMARKS
DOORS	18	COLD ROLLED STEEL	3" LOUVERS
FRAMES	16	COLD ROLLED STEEL	SOLID
TOPS	24	COLD ROLLED STEEL	SOLID
BOTTOMS	24	COLD ROLLED STEEL	SOLID
SHELVES	24	COLD ROLLED STEEL	SOLID
SIDES	24	COLD ROLLED STEEL	SOLID
BACKS	24	COLD ROLLED STEEL	SOLID
HANDLE		ZINC PLATED C.R.S.	DIGITAL LOCK W/ROTATING DOOR PULL
HINGE	16	COLD ROLLED STEEL	CONTINUOUS PIANO TYPE
BODY COMPONENT COLOR			729 TAN

LATCHING: (BOX DOOR) SINGLE POINT FRICTION CATCH WITH DOOR PULL. DOOR WILL ACCEPT BUILT-IN LOCK OR PADLOCK.

* WITH NEW HALLOWELL H1 DIGITAL LOCK

**FOR SUBMITTAL
USE ONLY**
SUBJECT TO APPROVAL



STARTER / ADD-ON LAYOUT

SCALE: NONE



THIS DRAWING AND THE INFORMATION ON IT IS THE CONFIDENTIAL PROPERTY OF HALLOWELL, INC. AND SHALL NOT BE COPIED OR DISCLOSED TO OTHERS WITHOUT WRITTEN PERMISSION. ONLY HALLOWELL, INC. RESERVES THE RIGHT TO ALTER ANY DESIGN. ANY UNAUTHORIZED MODIFICATIONS RELEASES HALLOWELL, INC. FROM ALL LIABILITIES.

TOLERANCES UNLESS SPECIFIED:
FRACTIONS: ±1/32 DECIMALS: ±.010 DEGREES: ±1°

Customer: CUSTOMER

Customer Order Number: PO#

Description: JOB_NAME
LOCATION

Drawn By: DRAFTER

Checked By:

Date: 07.18.2012

Scale: NONE

Acad Number: UEL1258-6

Sheet OF Revision:

Drawing Number: FOLDER_NUMBER