



HALLOWELL "GALVANITE" K.D. SINGLE TIER LOCKER (PRODUCT No. U1258-1G) (1-WIDE)



SIDE VIEW




FRONT VIEW


HALLOWELL GALVANITE "KD" LOCKER SPECIFICATION			
COMPONENT	GAUGE	MATERIAL	REMARKS
DOORS	16	GALVANNEAL C. R. S.	3" LOUVERS
FRAMES	16	GALVANNEAL C. R. S.	SOLID
TOPS	24	GALVANNEAL C. R. S.	SOLID
BOTTOMS	24	GALVANNEAL C. R. S.	SOLID
SHELVES	24	GALVANNEAL C. R. S.	SOLID
SIDES	24	GALVANNEAL C. R. S.	SOLID
BACKS	24	GALVANNEAL C. R. S.	SOLID
HANDLE		STAINLESS STEEL	LIFT (RECESSED DRAWN PAN)
HINGES	16	COLD ROLLED STEEL	CONTINUOUS PIANO TYPE
BODY COMPONENT COLOR			729 PARCHMENT

LATCHING: (WARDROBE) THREE POINT RECESSED ON LOCKER
 DOORS 48" AND OVER, TWO POINT RECESSED ON
 ON LOCKER DOORS 36" TO 20". AUTOMATIC
 LOCKING DEVICE WITH LIFT-TYPE PADLOCK HASP.

**FOR SUBMITTAL
 USE ONLY**
 SUBJECT TO APPROVAL



STARTER / ADD-ON LAYOUT
 SCALE: NONE



HOOK CONFIGURATION




THIS DRAWING AND THE INFORMATION ON IT IS THE CONFIDENTIAL PROPERTY OF HALLOWELL, INC. AND SHALL NOT BE COPIED OR DISCLOSED TO OTHERS WITHOUT WRITTEN PERMISSION. ONLY HALLOWELL, INC. RESERVES THE RIGHT TO ALTER ANY DESIGN. ANY UNAUTHORIZED MODIFICATIONS RELEASES HALLOWELL, INC. FROM ALL LIABILITIES.
 TOLERANCES UNLESS SPECIFIED:
 FRACTIONS: ±1/32 DECIMALS: ±.010 DEGREES: ±1°


Customer: CUSTOMER
 Customer Order Number: PO#
 Description: JOB_NAME LOCATION

Drawn By: DRAFTER
 Checked By:
 Date: 07.18.2012
 Scale: NONE
 Acad Number: U1258-1G
 Drawing Number: FOLDER_NUMBER
 SHEET OF Revision:

HALLOWELL "GALVANITE" K.D. DOUBLE TIER LOCKER (PRODUCT No. U1258-2G) (1-WIDE)



SIDE VIEW




FRONT VIEW

HALLOWELL GALVANITE "KD" LOCKER SPECIFICATION			
COMPONENT	GAUGE	MATERIAL	REMARKS
DOORS	16	GALVANNEAL C. R. S.	3" LOUVERS
FRAMES	16	GALVANNEAL C. R. S.	SOLID
TOPS	24	GALVANNEAL C. R. S.	SOLID
BOTTOMS	24	GALVANNEAL C. R. S.	SOLID
SHELVES	24	GALVANNEAL C. R. S.	SOLID
SIDES	24	GALVANNEAL C. R. S.	SOLID
BACKS	24	GALVANNEAL C. R. S.	SOLID
HANDLE		STAINLESS STEEL	LIFT (RECESSED DRAWN PAN)
HINGES	16	COLD ROLLED STEEL	CONTINUOUS PIANO TYPE
BODY COMPONENT COLOR			729 PARCHMENT


LATCHING: (WARDROBE) THREE POINT RECESSED ON LOCKER
DOORS 48" AND OVER, TWO POINT RECESSED ON
ON LOCKER DOORS 36" TO 20". AUTOMATIC
LOCKING DEVICE WITH LIFT-TYPE PADLOCK HASP.

**FOR SUBMITTAL
USE ONLY**
SUBJECT TO APPROVAL



STARTER / ADD-ON LAYOUT

SCALE: NONE



HOOK CONFIGURATION



THIS DRAWING AND THE INFORMATION ON IT IS THE CONFIDENTIAL PROPERTY OF HALLOWELL, INC. AND SHALL NOT BE COPIED OR DISCLOSED TO OTHERS WITHOUT WRITTEN PERMISSION. ONLY HALLOWELL, INC. RESERVES THE RIGHT TO ALTER ANY DESIGN. ANY UNAUTHORIZED MODIFICATIONS RELEASES HALLOWELL, INC. FROM ALL LIABILITIES.

TOLERANCES UNLESS SPECIFIED:
FRACTIONS: ±1/32 DECIMALS: ±.010 DEGREES: ±1°

Customer: CUSTOMER

Customer Order Number: PO#

Description: JOB_NAME
LOCATION

Drawn By: DRAFTER

Acad Number: U1258-2G

Drawing Number:

Checked By:

Sheet

FOLDER_NUMBER

Date:

07.18.2012

Sheet


OF

Revision:


Scale: NONE

Revision:

HALLOWELL "GALVANITE" K.D. TRIPLE TIER LOCKER (PRODUCT No. U1258-3G) (1-WIDE)



SIDE VIEW




FRONT VIEW


HALLOWELL GALVANITE "KD" LOCKER SPECIFICATION			
COMPONENT	GAUGE	MATERIAL	REMARKS
DOORS	16	GALVANNEAL C. R. S.	3" LOUVERS
FRAMES	16	GALVANNEAL C. R. S.	SOLID
TOPS	24	GALVANNEAL C. R. S.	SOLID
BOTTOMS	24	GALVANNEAL C. R. S.	SOLID
SHELVES	24	GALVANNEAL C. R. S.	SOLID
SIDES	24	GALVANNEAL C. R. S.	SOLID
BACKS	24	GALVANNEAL C. R. S.	SOLID
HANDLE		STAINLESS STEEL	LIFT (RECESSED DRAWN PAN)
HINGES	16	COLD ROLLED STEEL	CONTINUOUS PIANO TYPE
BODY COMPONENT COLOR			729 PARCHMENT

LATCHING: (WARDROBE) THREE POINT RECESSED ON LOCKER
 DOORS 48" AND OVER, TWO POINT RECESSED ON
 ON LOCKER DOORS 36" TO 20". AUTOMATIC
 LOCKING DEVICE WITH LIFT-TYPE PADLOCK HASP.

**FOR SUBMITTAL
 USE ONLY**
 SUBJECT TO APPROVAL



STARTER / ADD-ON LAYOUT
 SCALE: NONE



HOOK CONFIGURATION




THIS DRAWING AND THE INFORMATION ON IT IS THE CONFIDENTIAL PROPERTY OF HALLOWELL, INC. AND SHALL NOT BE COPIED OR DISCLOSED TO OTHERS WITHOUT WRITTEN PERMISSION. ONLY HALLOWELL, INC. RESERVES THE RIGHT TO ALTER ANY DESIGN. ANY UNAUTHORIZED MODIFICATIONS RELEASES HALLOWELL, INC. FROM ALL LIABILITIES.
 TOLERANCES UNLESS SPECIFIED:
 FRACTIONS: ±1/32 DECIMALS: ±.010 DEGREES: ±1°


Customer: CUSTOMER
 Customer Order Number: PO#
 Description: JOB_NAME LOCATION

Drawn By: DRAFTER
 Checked By:
 Date: 07.18.2012
 Scale: NONE
 Acad Number: U1258-3G
 Drawing Number: FOLDER_NUMBER
 Sheet Of OF Revision:

HALLOWELL "GALVANITE" K.D. SIX TIER BOX LOCKER (PRODUCT No. U1258-6G) (1-WIDE)



SIDE VIEW




FRONT VIEW

HALLOWELL GALVANITE "KD" BOX LOCKER SPECIFICATION			
COMPONENT	GAUGE	MATERIAL	REMARKS
DOORS	18	GALVANNEAL C. R. S.	3" LOUVERS
FRAMES	16	GALVANNEAL C. R. S.	SOLID
TOPS	24	GALVANNEAL C. R. S.	SOLID
BOTTOMS	24	GALVANNEAL C. R. S.	SOLID
SHELVES	24	GALVANNEAL C. R. S.	SOLID
SIDES	24	GALVANNEAL C. R. S.	SOLID
BACKS	24	GALVANNEAL C. R. S.	SOLID
HANDLE		ZINC PLATED C.R.S.	FRICTION CATCH DOOR PULL
HINGE	16	COLD ROLLED STEEL	CONTINUOUS PIANO TYPE
BODY COMPONENT COLOR			729 PARCHMENT

LATCHING: (BOX DOOR) SINGLE POINT FRICTION CATCH WITH DOOR PULL. DOOR WILL ACCEPT BUILT-IN LOCK OR PADLOCK.

**FOR SUBMITTAL
USE ONLY**
SUBJECT TO APPROVAL



STARTER / ADD-ON LAYOUT
SCALE: NONE



THIS DRAWING AND THE INFORMATION ON IT IS THE CONFIDENTIAL PROPERTY OF HALLOWELL, INC. AND SHALL NOT BE COPIED OR DISCLOSED TO OTHERS WITHOUT WRITTEN PERMISSION. ONLY HALLOWELL, INC. RESERVES THE RIGHT TO ALTER ANY DESIGN. ANY UNAUTHORIZED MODIFICATIONS RELEASES HALLOWELL, INC. FROM ALL LIABILITIES.

TOLERANCES UNLESS SPECIFIED:
FRACTIONS: ±1/32 DECIMALS: ±.010 DEGREES: ±1°

Customer: CUSTOMER
Customer Order Number: PO#
Description: JOB_NAME
LOCATION

Drawn By: DRAFTER	Checked By:	Date: 07.18.2012	Scale: NONE
Acad Number: U1258-6G	Sheet: _____	OF _____	Revision:
Drawing Number: FOLDER_NUMBER			